Circuit Ready

Technology connectivity certification

The product

Konftel 300IPx

developed by Konftel has been certified for Interoperability with Circuit Meeting Room based on functional testing performed by Unify

Circuit Meeting Room OS V1.R5.2.0 / Konftel 300IPx FW 2.7.33

Supported features: Speakerphone (basic feature set)

The test was conducted conforming to DIN EN ISO 9001. This certificate is only valid in conjunction with the full test report and the notes contained therein. The tests covered functional test and subjective acoustic test. Please consider that the test report only covers the functionality of the interface.

Munich, 9 May 2019





Copyright © Unify Software and Solutions GmbH & Co. KG, 2019 Otto-Hahn-Ring 6, D-81739 Munich, Germany All rights reserved.

Unify, OpenScape, OpenStage and HiPath are registered trademarks of Unify Software and Solutions GmbH & Co. KG. All other company, brand, product and service names are trademarks or registered trademarks of their respective holders.

Functional Test Report

Circuit Meeting Room

with

Konftel 300IPx

Author: Christian Kaehler

Version: 1.0

Status: Released

Date: 09.05.2019



Table of Contents

1. Overview	3
1.1. Executive Summary	3
1.1.1. Basic Equipment	3
1.2. Test Strategy	3
1.3. Test Result Summary	3
1.3.1. Problems	3
1.3.2. Restrictions	3
1.3.3. Remarks	3
1.3.4. Setup	3
2. Test Results in Detail	5
2.1. Test cases	5
2.2. Remarks / Appendixes	5
3. Confirmation	7

History of Change

Version	Date	Description	Name
1.0	09.05.2019	Released	Christian Kaehler
0.1	04.04.2019	Draft	Christian Kaehler

1. Overview

1.1. Executive Summary

The functional tests were carried out at GVS (Global Vendor Support) test lab. The test cases are listed below. The test reports are automatically generated report.

1.1.1. Basic Equipment

Test environment	
Circuit	
Circuit Meeting Room OS	V1R5.2.0
Circuit Meeting Room Application	1.2.4800
Product FW	2.7.33

1.2. Test Strategy

The certification test performed for Product is focused on audio basic functionality for
□video
⊠audio
□audio / video
The focus is on basic functionality and does not cover any quality measurements for audio or video strea

The focus is on basic functionality and does not cover any quality measurements for audio or video streams. If additional features in the product are relevant for proper operation with Circuit Meeting Room then these are listed in the test cases.

1.3. Test Result Summary

For details please have a look at the test results

1.3.1. Problems

No problems

1.3.2. Restrictions

No restrictions

1.3.3. Remarks

DUT does not support mute/release synchronization with Circuit




Figure 1: Logical Topology Diagram Circuit Meeting Room

Circuit Meeting Room is tested in standard configuration: Network connected via Gigabit Ethernet, output display on Full-HD capable display (single screen configuration), for speakerphones a standard web cam is connected (and vice versa) to complete the configuration. Circuit public cloud service is used for operation.

Test Results in Detail

1.4. Test cases

Key	Test Description	Result	Comment
DTHSFT-4080	Connection via USB	Passed	Connected via USB2.0
			Detected as "300IPx"
DTHSFT-4081	Conference: Audio output	Passed	
DTHSFT-4082	Conference: Audio input	Passed	
DTHSFT-4083	Conference: Video input	Invalid	
DTHSFT-4084	Conference: Video output	Invalid	
DTHSFT-4085	Conference: Audio mute (local)	Passed	
DTHSFT-4086	Conference: Mute sync with Circuit	Invalid	DUT does not support synchronization with Circuit
DTHSFT-4087	Conference: Release from	Invalid	DUT does not support synchronization
	conference (sync with Circuit)		with Circuit
DTHSFT-4088	Connection and features via BT	Invalid	
DTHSFT-4089	Power saving	Passed	
DTHSFT-4090	Telephony - interaction	Passed	DUT registered with OpenScape Voice
			Parallel calls are supported
			DUT provides local audio mixing
DTHSFT-4091	Conference: Long duration call	Passed	
DTHSFT-4092	Conference: Manual testing - mixed scenarios	Passed	
	Section 103		

1.5. Remarks / Appendixes

5 Christian Kaehler Released

Explanation of acronyms:

CMR Circuit Meeting Room
DUT Device Under Test

INVALID Test NOT applicable as not supported by DUT

FAILED Test case NOT successful

PASSED Test case successful

2. Confirmation

Testing personnel confirms that the test cases in chapter 0 were performed and that the results were as described in this document.

Date	Date
Name, Company	Name, Company